



# AUTHENTIC POWER

CORDLESS TOOLS | SMALL. LIGHT. POWERFUL.



**Cordless Impact Wrench**  
**DW-404**

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M6-M16
Max. Torque	900 (Nm) / 660 (ft-lb)
No Load Speed	0-900 / 0-1400 / 0-1800 / 0-2200
Impact Rate	0-1150 / 0-1700 / 0-2300 / 0-2500
Overall Length	130 (mm)
Weight	1.16 kg
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Impact Wrench**  
**DW-406**

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M10-M25
Max. Torque	1600 (Nm) / 1200 (ft-lb)
No Load Speed	0-1400 / 0-1900 / 0-2400
Impact Rate	0-1800 / 0-2000 / 0-2800
Overall Length	172 (mm)
Weight	2.0 kg / 4.40 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Rotary Hammer**  
**DRH-101**

3 modes : Drill, Impact, Chisel

Chuck Type	SDS Plus
Impact Energy	2.6 (J)
Free Speed	1150 (R.P.M)
Impact Rate	5100 (bpm)
Weight	2.8 kg / 6.17 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Heat Gun**  
**DHG-101**

Airflow	200 (L/min)
Max Temperature	550 °c
Weight	0.63 kg / 1.38 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Impact Driver**  
**DS-202**

Chuck Size	1/4" / 6 (mm)
Bolt Capacity	M5-M12
Max. Torque	270 (Nm) / 200 (ft-lb)
No Load Speed	0-1200 / 0-1900 / 0-2500 / 0-3200
Impact Rate	0-1400 / 0-1800 / 0-3500 / 0-4000
Weight	1.0 kg / 2.20 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 / 2.5 Ah



**Cordless Impact Driver**  
**DS-203**

Square Drive	1/2" / 12.7 (mm)
Max. Torque	540 (Nm) / 400 (ft-lb)
Chuck Size	1/4" / 6 (mm)
Bolt Capacity	M5-M12
Max. Torque	270 (Nm) / 200 (ft-lb)
No Load Speed	0-1200 / 0-1900 / 0-2500 / 0-3200
Impact Rate	0-1400 / 0-1800 / 0-3500 / 0-4000
Weight	1.0 kg / 2.20 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 / 2.5 Ah



**Cordless Grease Gun**  
**DGG-102**

Working Pressure	7000 (PSI)
Max Grease Output	94.6 (ml)
Capacity	400 (g)
Weight	2.4 kg / 5.3 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Oscillating Multi-Tool**  
**DOM-101**

Minimum Oscillations	11000 (per minute)
Maximum Oscillations	18000 (per minute)
Oscillation Angle	1.8°
Tool Length	320 (mm)
Weight	1.04 kg / 2.29 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Rivet Gun**  
**DR-102**

Traction Power	4496 (lb-f) / 2040 (kg-f)
Stroke Length	27 (mm)
Capacity	2.4-6.4 (mm)
Tool Length	320 (mm)
Weight	1.63 kg / 3.59 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Hammer Drill Driver**  
**DH-102**

Chuck Size	13 (mm)
Max. Torque	60 (Nm)
Max. Drill Capacity	steel 13 / wood 60 (Nm)
No Load Speed	0-500 / 0-1850
Impact Rate	0-7000 / 0-27000
Torque setting	17+1+1
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Drill Driver**  
**DD-102**

Chuck Size	13 (mm)
Max. Torque	60 (Nm)
Max. Drill Capacity	steel 13 / wood 50 (Nm)
No Load Speed	0-500 / 0-1850
Torque setting	17+1
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



**Cordless Jig Saw**  
**DJS-102**

Stroke Length	25 (mm)
No Load Speed	0-1500 / 0-2300 / 0-3000
Cutting Capacity	63 wood / 6 metal (mm)
Overall Length	410 (mm)
Weight	2.7 kg / 5.95 lbs
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



# AUTHENTIC POWER

PNEUMATIC TOOLS | SMALL. LIGHT. QUIET. POWERFUL.



Square Drive	1/2"
Bolt Capacity	5/8" / 16 (mm)
Torque Range	204-680 (Nm) / 150-500 (ft-lb)
Max. Torque	884 (Nm) / 650 (ft-lb)
Free Speed	9000 (R.P.M)
Avg. Air Consumption	5.2 (CFM) / 147 (L/min)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	4" / 105 (mm)
Weight	1.1 kg / 2.4 lbs
Air Hose	3/8"
Sound Pressure	85.0 (dBA)
Vibration Level	3.3 (m/s <sup>2</sup> )
Air Inlet	1/4"

## Air Impact Wrench

NC-4670Q

- Ergonomic design, lightweight 1.1 kg.
- Excellent Max torque 884 NM ( 650 FT/LB ).
- SIDE TO SIDE One-hand switching design Perfect balance reduces wrist and forearm fatigue.



## Air Impact Wrench

NC-8260



## Air Impact Wrench

NC-6610Q



## Air Die Grinder Flex-head

QA-688



Square Drive	1"
Bolt Capacity	1-1/4" / 32 (mm)
Torque Range	271-2169 (Nm) / 200-1600 (ft-lb)
Max. Torque	2372 (Nm) / 1750 (ft-lb)
Free Speed	6000 (R.P.M)
Avg. Air Consumption	7.5 (CFM) / 212 (L/min)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	8-1/2" / 218 (mm)
Weight	3.1 kg / 6.82 lbs
Air Hose	1/2"
Sound Pressure	87.0 (dBA)
Vibration Level	5.9 (m/s <sup>2</sup> )
Air Inlet	3/8"

Square Drive	3/4"
Bolt Capacity	22 (mm)
Torque Range	203-1220 (Nm) / 150-900 (ft-lb)
Max. Torque	1762 (Nm) / 1300 (ft-lb)
Free Speed	7000 (R.P.M)
Avg. Air Consumption	5.1 (CFM)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	138 (mm)
Weight	1.7 kg / 3.74 lbs
Sound Pressure	84-85 (dBA)
Vibration Level	4.8 (m/s <sup>2</sup> )

Collet Size	1/4" & 1/8" / 6 & 3 (mm)
Free Speed	2000 (R.P.M)
Avg. Air Consumption	10 (CFM) / 283 (L/min)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	7" / 178 (mm)
Motor	0.3 (hp)
Weight	0.65 kg / 1.4 lbs
Air Hose	3/8"
Sound Pressure	80 (dBA)
Vibration Level	1.1 (m/s <sup>2</sup> )
Air Inlet	1/4"

## Air Impact Wrench

NC-8331-6



## Adjustable Angle Impact Wrench

NC-488



## Air Hammer

SC-371C



Square Drive	1"
Bolt Capacity	1-3/8" / 35 (mm)
Torque Range	271-2711 (Nm) / 200-2000 (ft-lb)
Max. Torque	2711 (Nm) / 2000 (ft-lb)
Free Speed	4800 (R.P.M)
Avg. Air Consumption	9.0 (CFM) / 255 (L/min)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	18-1/2" / 473 (mm)
Weight	8.4 kg / 18.48 lbs
Air Hose	1/2"
Sound Pressure	107 (dBA)
Vibration Level	10.5 (m/s <sup>2</sup> )
Air Inlet	1/2"

Square Drive	1/2"
Max. Torque	678 (Nm) / 500 (ft-lb)
Free Speed	9000 (R.P.M)
Avg. Air Consumption	5.0 (CFM)
Air Pressure	90 (PSI) / 6.2 (bar)
Length	89.50 (mm)
Weight	1.7 kg / 3.74 lbs
Air Hose	3/8"
Air Inlet	1/4"

Shank	Round
Chuck Size	3/8" / 10.2 (mm)
Stroke Length	62.5 (mm)
Blow Per Minute	3000 (bpm)
Avg. Air Consumption	7.8 (CFM) / 180 (L/min)
Air Pressure	90 (PSI) / 6.3 (bar)
Overall Length	7-1/8" / 180 (mm)
Weight	1.7 kg / 3.7 lbs
Air Hose	3/8"
Sound Pressure	95 (dBA)
Vibration Level	8.8 (m/s <sup>2</sup> )
Air Inlet	1/4"



# AUTHENTIC POWER

## Cordless Pressure Washer Gun

DPW-101


Flow Rate	2.8 (L/min)
Hose Length	4 (m)
Maximum Pressure	360 (PSI) / 25 (bar)
Tool Length	876 (mm)
Weight	1.72 kg
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



## Cordless Blower

DLB-102

No load Speed	Two speed control	11000 & 15000 (R.P.M)
Air speed		32 & 50 (m/s)
Air capacity		400 (CFM) / 680 (m³/h)
Weight		2.8 kg
Rating Voltage		18 (V)
Completely Charged		20 (V)
Battery		Li-ion 5.0 Ah



## Cordless Hedge Trimmer Tool

DHT-101

- Double switch safety trigger

No Load Speed	1400 (R.P.M)
Blade Length	24"
Cutting Diameter	3/4" (Maximum width between 2 teeth)
The handle can be rotated	45° & 90°
Weight	2.6 kg
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah




## Cordless Chain Saw

DCCS-101

- Switch Anti-self-locking switch
- SDS tool-free adjustment

Load Speed	9.3 (m/s)
Guard Length	10"
Cut Size	300 (mm)
Weight	3.3 kg
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah



## Garden Multi-Head Tool

DGM-101

No Load Speed	7400 (R.P.M)
Cutting Brush Speed	6900 (R.P.M)
Grassing Speed	6900 (R.P.M)
High Branch Shear Speed	2400 (spm)
High Branch Saw Speed	5550 (R.P.M)
Cutting Diameter	10 (mm)
Rating Voltage	36 (V)
Completely Charged	40 (V)
Battery	Li-ion 5.0 Ah



CORDLESS | PNEUMATIC