



2018

CATALOGUE



ACCESSORIES

WARNING :

- All the pneumatic tools should only be used as hand operated tools. They are powered by compressed air and are not insulated against electric shock.
- Always turn off the air supply and disconnect the air hose before changing or replacing any inserted tool and accessory.
- Before using these tools, make sure that all couplings and plugs are securely fastened. Air hoses which are under pressure may lash out when disconnecting, that can lead to serious injury!
- High sound levels may cause hearing damage. Always wear hearing protection when operating this tool.
- Wearing eye/face protection can reduce the danger of high-speed materials being emitted from the tool. Make sure that the direction of the spark generated from the cutting wheel grinding wheel or shank stone is properly directed so as to not create a hazard..
- Always wear gloves to reduce risk
- User must wear proper clothing. Loose clothing, long hair, stings, straps, belts and jewelry should not be worn when operating this tool.
- Long periods of prolong use will cause fatigue. Periodic breaks are recommended for user safety.
- It is recommended to stop operating the tool whenever discomfort, tingling or pain occurs during use.
- Make sure there is no gas or combustible material stored near the tool when servicing, changing insert tools, or storage.
- Wearing proper breathing protection to avoid inhale dust or handling debris from working process, which can be harmful to the health.





A STRONG BRAND LISTENS TO ITS CUSTOMERS

When we develop products such as our new, extremely small and handy air impact wrench NC-4610, m7 customers are our main driving force and focus. By building trust and excellent communication channels with our partners, distributors and channel customers, we very quickly get to understand what it is that they are looking for and what motivates their choice of air tools.

As a designer, manufacturer and distributor of tools, we are just as committed to bringing the most reliable, efficient, ergonomic tools to the market as we are to fulfilling our promise of excellent service and support to our clients.

m7' S SUCCESS IS A TEAM EFFORT!

m7 as it is affectionately called by thousands of users world-wide, is much more than just a good manufacturer of air tools. In fact, m7 provides a total brand solution for its air tool partners and consumers. m7's team is composed of a strong network of International air tool experts and an enthusiastic team of engineers, designers, marketers and administration personnel.

PAD SERIES

NON-VACCUM VELCRO

backing Face : velcro




Bliester+Card

ITEM NO.	SIZE	Max R.P.M
QB-9302	2"	15000
QB-9303	3"	15000
QB-9305	5"	12000
QB-9306	6"	12000



SIX HOLE

backing Face :
velcro & vinyl are both available



Bliester+Card

ITEM NO.	SIZE	Max R.P.M
QB-9315 (velcro)	5"	12000
QB-9355 (vinyl)	5"	10000
QB-9316 (velcro)	6"	12000
QB-9356 (vinyl)	6"	12000



NON-VACCUM VINYL

backing Face : vinyl




Bliester+Card

ITEM NO.	SIZE	Max R.P.M
QB-9345	5"	12000
QB-9307	6"	12000



FIFTEEN HOLE

backing Face :
velcro & vinyl are both available



Bliester+Card

ITEM NO.	SIZE	Max R.P.M
QB-9327 (velcro)	6"	12000
QB-9366 (vinyl)	6"	12000



QB-922 / QB-923

Roll On Holder



Bag+Card

ITEM NO.	SIZE	Max R.P.M	For m7 item NO.
QB-922	2"	30000	QP-212 QP-213
QB-923	3"	20000	QP-223 QB-625



QB-922

2"Roll On Holder



QB-923

3"Roll On Holder

QB-9337M

QB-9337S

7"Sanding Pad



ITEM NO.	SIZE	Max R.P.M	Thread Size	For m7 item NO.
QB-9337M	7"	15,000	M14*2.0	QP-307 OP-327
QB-9337S	7"	15,000	5/8"*11	QP-317

SANDING ACCESSORIES

PAD DIE Series

5 pcs / 1 SET

Use on QB-922 & QB-923



Bliester+Card

SANDING Disc

5 pcs / 1 SET

Use on QB-922 & QB-923



Bliester+Card

ITEM NO.	SIZE	PS.	Max R.P.M	For m7 item NO.
QB-9702k-24	2"	Grit:#24	30,000	QP-212 QP-212N QB-625 QB-0618
QB-9702k-40		Grit:#40		
QB-9702k-60		Grit:#60		
QB-9702k-80		Grit:#80		
QB-9702k-100		Grit:#100		
QB-9702k-120		Grit:#120		
QB-9702k-150		Grit:#150		
QB-9702k-180		Grit:#180		
QB-9702k-240		Grit:#240		
QB-9703k-24	3"	Grit:#24	25,000	
QB-9703k-40		Grit:#40		
QB-9703k-60		Grit:#60		
QB-9703k-80		Grit:#80		
QB-9703k-100		Grit:#100		
QB-9703k-120		Grit:#120		
QB-9703k-150		Grit:#150		
QB-9703k-180		Grit:#180		
QB-9703k-320		Grit:#320		



ITEM NO.	SIZE	PS.	R.P.M	For m7 item NO.
QB-9712-YL	2"	Yellow-coarse #80	30,000	QP-212 QP-212N QB-625 QB-0618
QB-9712-RD	2"	Red-Medium #150		
QB-9712-BL	2"	Blue-Fine #300		
QB-9713-YL	3"	Yellow-coarse #80		
QB-9713-RD	3"	Red-Medium #150		
QB-9713-BL	3"	Blue-Fine #300		



QB-95 SERIES

Wool Bonnet PAD

Available with



Bag+Card

ITEM NO.	SIZE	PS.	FOR ITEM
0QB-9512	2"	Velcro	QB-9302 QB-9303 QB-9305 QB-9315
0QB-9513	3"	Velcro	
0QB-9515	5"	Velcro	
0QB-9517	7"	Velcro	
0QB-9507	7"	Tie Cords	

QB-94 SERIES

Sponge

Available with QB-802



Bag+Card

ITEM NO.	SIZE	PS.	Thickness	FOR ITEM
0QB-9402	2"	Yellow / Rough	25mm	QB-9302 QB-9303 QB-9305 QB-9306 QB-9315 QB-9316 QB-9327
0QB-9422	2"	White / Medium	25mm	
0QB-9403	3"	Yellow / Rough	25mm	
0QB-9413	3"	White / Medium	25mm	
0QB-9404	4"	Yellow / Rough	25mm	
0QB-9424	4"	White / Medium	25mm	
0QB-9405	5"	Yellow / Rough	25mm	
0QB-9425	5"	White / Medium	25mm	
0QB-9406	6"	Yellow / Rough	25mm	
0QB-9426	6"	White / Medium	25mm	
0QB-9407	7"	Yellow / Rough	25mm	
0QB-9427	7"	White / Medium	25mm	

QB-9712K / QB-9713K

Stripping Disc

Use on QB-922 & QB-923

Roll-on holder



5 pcs / 1 SET

Item NO.	SIZE	R.P.M
QB-9712K	2"	15,000
QB-9713K	3"	15,000

Bag+Card



QB-9434

FOR GLOBAL

QB-9434U

FOR USA ONLY

Eraser Wheel

Available with

QB-812T



QB-9444

FOR GLOBAL

QB-9444U

FOR USA ONLY

Eraser Wheel

Available with

QB-802 QB-812



ACCESSORIES

QB-9211 [SET]

Grinder Stone Set
(3mm Shank)

Available with
QA-633Q QA-611 QA-632Q
QA-111 QA-211 QA-231Q
QA-311 QA-313 QA-315



Bliester+Card

QB-9213 [SET]

Grinder Stone Set
(6mm Shank)

Available with
m7 ALL AIR DIE GRINDER



Bliester+Card

QB-911 Series QB-912 Series

Abrasive Cloth Belt

QB-91108

QB-91110

Available with
for QB-311 / QB-321



QB-91208

QB-91210

Available with
for QB-312 / QB-322 / QB-322C





Bag+Card

ITEM NO.	Belt Size	 	For m7 item NO.
QB-91108	10mm x 330mm #80	10Pcs/1 Set	QB-311 QB-321
QB-91110	10mm x 330mm #100	10Pcs/1 Set	
QB-91208	20mm x 520mm #80	10Pcs/1 Set	QB-322 QB-322C QB-312
QB-91210	20mm x 520mm #100	10Pcs/1 Set	

QB-904/QB-905/QB-907

Grinding Wheel Materials: Aluminum Oxide





ITEM NO.	Specifcation	 	For m7 item NO.
0QB-904	100 x 6 x16 4" x 1/4" x 5/8" 102mm	25 / 200	(QB-904) : QB-104 QB-114 QB-124 QB-134 QB-144 QB-154 QB-164 QB-194 QB-194N QB-194L QB-7114 (QB-905) : QB-115 QB-125 QB-135 QB-145 QB-155 QB-165 QB-185 QB-195 QB-7115 (QB-907) : QB-107 QB-117 QB-177 QB-187 QB-197
0QB-905	125 x 6 x22 5" x 1/4" x 7/8" 127mm	25 / 200	
0QB-907	180 x 6 x22 7" x 1/4" x 7/8" 128mm	25 / 200	

QB-913 QB-914

Cut-off Wheel



ITEM NO.	Specifcation	 	For m7 item NO.
0QB-913	75 x 1.5 x10 3" x 16" x 3/8" 76mm	25 / 200	QC-213/ QC-213T QC-253
0QB-914	100 x 1.5 x10 4" x 16" x 3/8" 102mm	25 / 200	QC-213 / QC-213T QC-253 / QC-264

QD-932P

32T Saw Blade
Bi-Metal Material
Available with
QD-221 QD-230 QD-291



10 pcs / box
Blister+Card

QD-924P


24T Saw Blade
Bi-Metal Material
Available with
QD-221 QD-230 QD-291



10 pcs / box
Blister+Card

SC-415P CHISEL SET SC-425P CHISEL SET

● SC-415 - Chisel Set / 175mmL / Round
● SC-425 - Chisel Set / 175mmL / Hex
Available with
SC-331C SC-341C SC-332C SC-342C
SC-211C SC-221C SC-212C SC-222C



Blister+Card

QK-Series

Air Knife
For QK-111



SN-124 SN-128 SN-268 SN-288



Box

Needle Set
SN-288
(12 Needle Set) 3 x125mm
Available with
SN-1288
SN-268
(19 Needle Set) 3 x180mm
Available with
SN-1268

SN-124
(19 Needle Set) 3 x180mm
Available with
SN-2124
SN-128
(19 Needle Set) 3 x180mm
Available with
SN-2128

QM-901

Universal repairing Kit for
auto Transmission shaft boot
Available with QM-1125



SC-2A

Retainer



SC-2B

Quick Change Retainer




Available with
For SC-21/SC-22 SC-31/SC-34 SERIES

QD-906P

AIR SAW SET Air inlet : 1/4"

4 pieces in one carton

For QD-230



QD-905P

AIR SAW SET Air inlet : 1/4"

5 pieces in one carton

For QD-291



PC-901

Adjustable Torque Air Tapping Adapter
HEX:8mm




For: Air Drill, Electricity Drill, Cordless Drill
, Drill machine

Paper Package

ACCESSORIES

SN-9101/9103 SN-9201/9203



CHISEL

For SN-31/SC-32 SERIES



PA-MC

Automatic Mandrel Collection

CAPACITY

3/32" (2.4mm)	220pcs
1/8" (3.2mm)	160pcs
5/32" (4.0mm)	110pcs
3/16" (4.8mm)	80pcs



PE-MC

Automatic Mandrel Collection




JC-491

Standard Safety Tip

Available with

JC-491 for JC-405 JC-410 JC-412 JC-424 JC-435



SW-12(1/4") SW-13(3/8")

Mini Lubricator

Install on the air inlet to provide automatic lubrication.

8c.c. Lubricating oil capacity.



Bliester+Card

NC-4255PVC

Protective boot



The NC-4255-PVC Protective boot

can apply on NC-4255 & NC-6255

Bag+Card

MA-412M1719



Double Sided Socket

2" Extended Anvil matching special double sided socket 17mm&19mm specifically for automotive tyres.

MA-412S2426



Double Sided Socket

2" Extended Anvil matching special double sided socket 24mm&26mm specifically for automotive tyres.

MA-412M2122



Double Sided Socket

2" Extended Anvil matching special double sided socket 21mm&22mm specifically for automotive tyres.

PA-9048

4.8mm (3/16") Riveter Adaptor

PA-9064

6.35mm (1/4") Riveter Adaptor



PB-9006


M6 Rivet Nut Adaptor

PB-9010

M10 Rivet Nut Adaptor

Assembling and Using Before first Use

Remove the unit and the accessory out of the packaging . keep packaging materials Out of reach of children.there is risk of suffocation



Technical Data

PA-9064

Dimensions	59mm x173mm(2-11/32 x 6-3/4 inch)
Net Weight	330g=0.73 lbs
Gross Weight	500g=1.10 lbs
Nosepiece	3.2mm(1/8), 4.0mm(5/32)
Nosepiece	4.8mm(3/16),6.4mm(1/4)
Hex Shank	1/4" (6.35 mm)
Cordless Drill	14.4V ,18V
Cordless Drive	14.4V ,18V
Reversible electric	1/2"Drill
Reversible pneumatic	1/2"Drill
Min. Torque Strength	50 Nm = 37 ft/lbs
Max. rpm	1,000 rpm
1. Hex Shank	1/4 (6.35 mm)
2. Housing	PA+GF
3. Nosepiece	3.2, 4.0, 4.8, 6.4mm
4. Sight Window	Blind Rivet Loading
5. Wrench	1PC
6. Handle	1PC

PA-9048

Dimensions	59mm x158mm(2-11/32 x 6-3/16 inch)
Net Weight	318g=0.70 lbs
Gross Weight	368g=0.81 lbs
Nosepiece	2.4mm(3/32),3.2mm(1/8)
Nosepiece	4.0mm(5/32),4.8mm(3/16)
Hex Shank	1/4" (6.35 mm)
Cordless Drill	12V 14.4V 18V
Cordless Drive	12V 14.4V 18V
Reversible electric	3/8"Drill
Reversible pneumatic	3/8"Drill
Min. Torque Strength	11 Nm = 8 ft/lbs
Max. rpm	1,000 rpm
1 Hex Shank	1/4 (6.35 mm)
2 Housing	PA+GF
3 Nosepiece	2.4mm , 3.2mm, 4.0mm, 4.8mm
4 Sight Window	Blind Rivet Loading
5 Wrench	1PC

PB-9006

Dimensions	59mm x172mm(2-11/32" x 6-25/32")
Weight	280g=0.62 lbs
Nosepiece	M3 M4 M5 M6
Hex Shank	1/4" (6.35 mm)
Cordless Drill	12V 14.4V
Cordless Drive	12V 14.4V
Reversible electric	Drill (Advice 500W)
Reversible pneumatic	Drill (Advice 3/8")
Min. Torque Strength	15 Nm = 11 ft/lbs
Max. rpm	1000 rpm

PB-9010

Dimensions	59mm x180mm(2-11/32" x 7-3/32")
Weight	350g=0.77 lbs
Nosepiece	M6 M8 M10
Hex Shank	1/4" (6.35 mm)
Cordless Drill	14.4V
Cordless Drive	18V
Reversible electric	Drill (Advice 500W)
Reversible pneumatic	Drill (Advice 1/2")
Min. Torque Strength	100 Nm = 73.7 ft/lbs
Max. rpm	800 rpm

PAD KIT ACCESSORIES

QB-9303K04

3"Sander/Buffer Versatility KIT

Thread: 5/16"x24

MAX : 15000 R.P.M

For QP-113 QP-123 QP-213 QP-223



Bliester+Card

CONTENTS:

3"Sanding Pad x 1PC

3"Foam Yellow x 1PC

3"Foam White x 1PC

3"wool Bonnet x1PC

MAX RPM:15000

Backing Face :

Velcro available

QB-974K12

2"&3" Surface Sanding KIT

2"MAX : 30000 R.P.M

3"MAX : 20000 E.P.M

For QP-212 QP-213 QP-223 QB-625



Bliester+Card

SHANK TYPE

QB-974K12A:6mm

QB-974K12B:1/4"

CONTENTS:

Shank x 2 pcs (A or B)

2"Rollon Holder x 1PC

3"Rollon Holder x 1PC

2"Sanding Disk x 4PCS

3"Sanding Disk x 4PCS

QB-9742K12

2" Surface Sanding KIT

MAX : 30000 R.P.M

For QP-212 QP-213 QP-223 QB-625



Bliester+Card

SHANK TYPE

QB-9742K12A:6mm

QB-9742K12B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

2"Rollon Holder x 1PC

2"Pad Die x 6PCS

2"Sanding Disc x 3PCS

2"Stripping Disc x 1PC

QB-9743K12

3" Surface Sanding KIT

MAX : 20000 R.P.M

For QP-212 QP-213 QP-223 QB-625



Bliester+Card

SHANK TYPE

QB-9743K12A:6mm

QB-9743K12B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

3"Rollon Holder x 1PC

3"Pad Die x 6PCS

3"Sanding Disc x 3PCS

3"Stripping Disc x 1PC

QB-9742K20

2" Surface Sanding KIT

MAX : 30000 R.P.M

For QP-212 QP-213 QP-223 QB-625



Bliester+Card

SHANK TYPE

QB-9742K20A:6mm

QB-9742K20B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

2"Rollon Holder x 1PC

2"Pad Die x 15PCS

2"Sanding Disc x 3PCS

QB-9743K20

3" Surface Sanding KIT

MAX : 20000 R.P.M

For QP-212 QP-213 QP-223 QB-625



Bliester+Card

SHANK TYPE

QB-9743K20A:6mm

QB-9743K20B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

3"Rollon Holder x 1PC

3"Pad Die x 15PCS

3"Sanding Disc x 3PCS

QB-9762K07

2"Surface Pad Conditioning Disc Kit

MAX : 20000 R.P.M

For QP-113 QP-123 QP-213 QP-223



Bliester+Card

SHANK TYPE

QB-9762K07A:6mm

QB-9762K07B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

2"Stripping Disc x 2PCS

2"Conditioning Disc:

Red x 2PCS

Grey X 2PCS

QB-9752K07

2"Felt Pad Conditioning Disc Kit

MAX : 20000 R.P.M

For QP-113 QP-123 QP-213 QP-223



Bliester+Card

SHANK TYPE

QB-9752K07A:6mm

QB-9752K07B:1/4"

CONTENTS:

2"Felt Pad x 6PCS

QB-9773K19

3"Polising Sponge Kit

MAX : 15000 R.P.M

For QP-113 QP-123 QP-213 QP-223



Bliester+Card

SHANK TYPE

QB-9773K19A:6mm

QB-9773K19B:1/4"

CONTENTS:

Shank x 1 PC (A or B)

3"Sanding Pad x 1PC

3"Sanding Sponge x6PCS

3"Sanding Paper x10PCS

3"Polishing Sponge x2PCS

The background of the entire page is a close-up photograph of several black M7 impact sockets. The sockets are arranged on a dark, textured metal surface that appears to be a diamond plate. The sockets are of different sizes, with some clearly labeled 'CR-MO 24MM', 'CR-MO 22MM', and 'CR-MO 13MM'. The M7 logo is embossed on each socket. The lighting is dramatic, highlighting the metallic textures and the hexagonal shapes of the sockets.

M7

PROVIDE

FULL RANGE

IMPACT




THE MIGHTY-SEVEN RANGE SOCKET

ACCESSORIES


SY-2002M

Air Regulator & 360°
Rotatable Adaptor
Air inlet 1/4"

















SY-2001M

360° Rotatable Adaptor
Air inlet 1/4"











SY-M SY-F Air Adaptor / Quick Couplings

Item No.	Thread Type	Thread Size	Type	Picture	
SY-211M SY-211F	Male Female	1/4" PT	Europe		
SY-221M SY-321M	Male	1/4" PT 3/8" PT	Japan		
SY-221F SY-321F	Female	1/4" PT 3/8" PT			
SY-231M SY-231F	Male Female	1/4" NPT	U.S.A		
SY-251M SY-351M	Male	1/4" PT 3/8" PT	France		
SY-251F SY-351F	Female	1/4" PT 3/8" PT			


Item No.	Thread Type	Thread Size	Type	Picture	
SY-210M SY-210F	Male Female	1/4" PT	Europe		
SY-220M SY-320M	Male	1/4" PT 3/8" PT	Japan		
SY-220F SY-320F	Female	1/4" PT 3/8" PT			
SY-230M SY-230F	Male Female	1/4" NPT	U.S.A		

Two - stage safety quick connector structure.

- The joint can be discouraged in two sections.
- The joint structure can quickly distinguish.

Item No.	Thread Type	Thread Size	Type	Picture	
SY-210SM SY-210SF	Male Female	1/4" PT	Europe		
SY-220SM SY-220SF	Male Female	1/4" PT	Japan		
SY-230SM SY-230SF	Male Female	1/4" PT	U.S.A		
SY-250SM SY-250SF	Male Female	1/4" PT	France		


Safety lock ratchet structure

Item No.	Thread Type	Thread Size	Type	Picture
SY-210SM-L SY-210SF-L	Male Female	1/4" PT	Europe France	
SY-220SM-L SY-220SF-L	Male Female	1/4" PT	Japan	

Composte Quick Coupling

Item No.	Thread Type	Thread Size	Type	Picture
SY-0213M SY-0313M SY-0413M	Male	1/4" PT 3/8 PT 1/2 PT	Europe	
SY-0223M SY-0323M SY-0423M	Male	1/4" PT 3/8 PT 1/2 PT	Japan	
SY-0233M SY-0333M SY-0433M	Male	1/4" PT 3/8 PT 1/2 PT	U.S.A France	

Item No.	Thread Type	Thread Size	Type	Picture
SY-1213F SY-1313F SY-1413F	Female	1/4" PT 3/8 PT 1/2 PT	Europe	
SY-1223F SY-1323F SY-1423F	Female	1/4" PT 3/8 PT 1/2 PT	Japan	
SY-1233F SY-1333F SY-1433F	Female	1/4" PT 3/8 PT 1/2 PT	U.S.A France	

Item No.	Thread Type	Thread Size	Type	Picture
SY-2213P SY-2313P SY-2413P	----	5X8 PU 6.5X10 PU 8X12 PU	Europe	
SY-2223P SY-2323P SY-2423P	----	5X8 PU 6.5X10 PU 8X12 PU	Japan	
SY-2233P SY-2333P SY-2433P	----	5X8 PU 6.5X10 PU 8X12 PU	U.S.A France	

Item No.	Thread Type	Thread Size	Type	Picture
SY-3113H SY-3213H SY-3313H SY-3413H	----	10SH 1/4" 20SH 5/16" 30SH 3/8" 40SH 1/2"	Europe	
SY-3123H SY-3223H SY-3323H SY-3423H	----	10SH 1/4" 20SH 5/16" 30SH 3/8" 40SH 1/2"	Japan	
SY-3133H SY-3233H SY-3333H SY-3433H	----	10SH 1/4" 20SH 5/16" 30SH 3/8" 40SH 1/2"	U.S.A France	

ACCESSORIES FOR RA SERIES AIR SCREWDRIVER

1/4" POWER BIT

(PHILLIPS HEAD)



1/4" POWER BIT

(POZIDIV HEAD)



1/4" POWER BIT

(TORX TAMPER HEAD)



"OVERALL LENGTH(mm)"	SIZE	ITEM NO.	øD(mm)
50	0	MD10150P0A	3
	1	MD10150P1A	4.5
	2	MD10150P2A	6
	3	MD10150P3A	6
70	1	MD10170P1A	4.5
	2	MD10170P2A	6
	3	MD10170P3A	6

"OVERALL LENGTH(mm)"	SIZE	ITEM NO.	øD(mm)
50	0	MD10150Z0A	3
	1	MD10150Z1A	4.5
	2	MD10150Z2A	6
	3	MD10150Z3A	6
70	1	MD10170Z1A	4.5
	2	MD10170Z2A	6
	3	MD10170Z3A	6

"OVERALL LENGTH(mm)"	SIZE	ITEM NO.	øD(mm)
50	6	MD10150TT06A	3.2
	7	MD10150TT07A	3.2
	8	MD10150TT08A	3.2
	9	MD10150TT09A	3.2
	10	MD10150TT10A	4
	15	MD10150TT15A	4
	20	MD10150TT20A	4.8
	25	MD10150TT25A	4.8
	27	MD10150TT27A	6
	30	MD10150TT30A	6
	40	MD10150TT40F	6.3
70	6	MD10170TT06A	3.2
	7	MD10170TT07A	3.2
	8	MD10170TT08A	3.2
	9	MD10170TT09A	3.2
	10	MD10170TT10A	4
	15	MD10170TT15A	4
	20	MD10170TT20A	4.8
	25	MD10170TT25A	4.8
	27	MD10170TT27A	6
	30	MD10170TT30A	6
	40	MD10170TT40F	6.3
	45	MD10170TT45E	8
	50	MD10170TT50E	9.1

1/4" POWER BIT

(DOUBLE PHILLIPS HEAD)



1/4" POWER BIT

(HEX HEAD)



1/4" POWER BIT

(TORX HEAD)



"OVERALL LENGTH(mm)"	SIZE	ITEM NO.
65	1	MD10165P1P1A
	2	MD10165P2P2A
	3	MD10165P3P3A
110	1	MD101110P1P1A
	2	MD101110P2P2A
	3	MD101110P3P3A

"OVERALL LENGTH(mm)"	A(mm)	ITEM NO.
50	1.5	MD10150H015A
	2	MD10150H020A
	2.5	MD10150H025A
	3	MD10150H030A
	4	MD10150H040A
	5	MD10150H050A
	6	MD10150H060F
	7	MD10150H070E
	8	MD10150H080E
70	10	MD10150H100E
	1.5	MD10170H015A
	2	MD10170H020A
	2.5	MD10170H025A
	3	MD10170H030A
	4	MD10170H040A
	5	MD10170H050A
	6	MD10170H060F
	7	MD10170H070E
	8	MD10170H080E
	10	MD10170H100E

"OVERALL LENGTH(mm)"	SIZE	ITEM NO.	øD(mm)
50	6	MD10150T06A	3.2
	7	MD10150T07A	3.2
	8	MD10150T08A	3.2
	9	MD10150T09A	3.2
	10	MD10150T10A	4
	15	MD10150T15A	4
	20	MD10150T20A	4.8
	25	MD10150T25A	4.8
	27	MD10150T27A	6
	30	MD10150T30A	6
	40	MD10150T40F	7
	45	MD10150T45E	8
	50	MD10150T50E	9.1
70	6	MD10170T06A	3.2
	7	MD10170T07A	3.2
	8	MD10170T08A	3.2
	9	MD10170T09A	3.2
	10	MD10170T10A	4
	15	MD10170T15A	4
	20	MD10170T20A	4.8
	25	MD10170T25A	4.8
	27	MD10170T27A	6
	30	MD10170T30A	6
	40	MD10170T40F	7
	45	MD10170T45E	8
	50	MD10170T50E	9.1



Complete air tool solutions
www.mighty-seven.com